

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	43517	logic and flow and user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:25
L2	1873	logic and flow and (user adj interface) and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:22
L3	30910	logic and flow and (user adj interface) and (extract\$3 pars\$3) "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:22
L4	1003	logic and flow and (user adj interface) and (extract\$3 pars\$3) and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:25
L5	718	4 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:48
L6	10855	(logic same flow) and user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:25
L7	322	(logic same flow) and (user adj interface) and (extract\$3 pars\$3) and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:25
L8	68	(logic same flow) same (user adj interface) and (extract\$3 pars\$3) and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:26

EAST Search History

L9	4	(logic same flow) same (user adj interface) same (extract\$3 pars\$3) and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:26
L10	420	5 and translat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:28
L13	15676	(program application) adj flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:15
L14	17642	(program application) adj logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:15
L15	499662	(pars\$3 interpret\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:16
L16	69	L13 same L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:16
L17	2	L13 same L14 same 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:45
L18	4026	(program software application code) with logic same (extract\$3 pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:47

EAST Search History

L19	3207	18 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:49
L20	205	19 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:53
L21	56	20 and (UI or user\$1interface or graphical\$user\$interface or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 11:57
L23	3	2002\0129333	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 12:00
L24	5	10/051,268	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 12:32
L25	14	sujit near basu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:07
L26	0	khalid near beg.in. not 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:05
L27	1	khalid near beg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:05

EAST Search History

L28	1	bruno near chartier.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:06
L30	2	ted near chau.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:06
L31	1	cheok near chu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:06
L32	338	"hewlett packard" and migrat\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:08
L33	277	"hewlett packard" and convert\$3.clm. and extract\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:09
L34	14	"hewlett packard" and convert\$3.clm. and extract\$3.clm. and XML.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 18:09
S1	9	"6546549".pn. 2003\0121000 2003\0188036 2003\0200535	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 12:27
S2	2	2005\0138606	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:00

EAST Search History

S3	709	717/136,137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 13:22
S4	2	S3 and EBNF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 13:24
S5	145	S3 and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 06:21
S6	36	antlr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 06:22
S7	281	documentation same optimiz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:12
S8	15	S7 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 06:49
S9	263	documentation same (source code source\$code) same (optimiz\$3 improv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:20
S10	241	S9 and (@pd<"20031217" or @ad<"20031217" or @prad<"20031217" or @rlad<"20031217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:21

EAST Search History

S11	28	S10 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:21
S12	17	S11 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:15
S13	322	schema same (source code source\$code) same (optimiz\$3 improv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:21
S14	276	S13 and (@pd<"20031217" or @ad<"20031217" or @prad<"20031217" or @rlad<"20031217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:25
S15	11	S14 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:21
S16	246	S13 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:23
S17	579	717/151,152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:29
S18	461	S17 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:23

EAST Search History

S19	12	S18 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:30
S20	13364	(optimiz\$3 improv\$3) with (source source\$code code) with generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:53
S21	1046	S20 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:34
S22	31	(optimiz\$3 improv\$3) with (source source\$code code) with generat\$3 same (docs documentation schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:35
S23	472	(system adj documentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:44
S24	26	(system adj documentation) same (optimiz\$3 improv\$3 reduc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:45
S25	48	(system adj (documentation specification schema)) same (optimiz\$3 improv\$3 reduc\$3) same (code source\$code code input\$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:51
S26	0	(static with optimization) with (docs documentation schema specification) with (code source\$code source input\$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:52

EAST Search History

S27	23	(optimiz\$3 improv\$3) with (source source\$code code) with generat\$3 with (schema docs documentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:56
S28	24	schema with based with optimizat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:56
S29	62608	(platform\$1 architecture\$1 system\$1) with (optimiz\$3 improv\$3 increas\$3) with (code software source\$code source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:14
S30	3170	(platform\$1 architecture\$1) with (optimiz\$3 improv\$3 increas\$3) with (code software source\$code source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:14
S31	166	(platform\$1 architecture\$1) with (optimiz\$3 improv\$3 increas\$3) with (code software source\$code source) with specific	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:20
S32	2061	(code source\$code source software) with optimiz\$3 with (architecture processor platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:21
S33	1629	S32 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:57
S34	367	S33 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:24

EAST Search History

S35	9	(code source source\$code) adj optimiser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:25
S36	200	(code source source\$code) adj optimizer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 09:24
S37	2	(code source source\$code) adj optimiser same target	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:22
S38	2	2003\0065827	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 11:43
S39	2	2004\0143625	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:44
S40	1616	refin\$3 with cod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:49
S41	83633	(refin\$3 modif\$3) with (code source source\$code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:50
S42	7167	(refin\$3 modif\$3) with (code source source\$code) same (compil\$3 convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:55

EAST Search History

S43	3501	(refin\$3 modif\$3) with (code source source\$code) with (compil\$3 convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:56
S44	557	S43 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:01
S45	433	S44 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:01
S46	5205	(code source\$code source) with (optimiz\$3 modif\$4 refin\$3) with (rule\$1 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:01
S47	1077	S46 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:01
S48	863	S47 and (@pd<"20021217" or @ad<"20021217" or @prad<"20021217" or @rlad<"20021217")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:07
S49	667	S48 and (instruction\$set\$1 architecture\$1 platform\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/04 10:21